



SCAN QR CODE  
TO KNOW MORE

**Sintex**  
SAAF. SAFE. SAHI.

**SINTEX-BAPL LIMITED**


**Toll Free No.: 1800-121-2764**

[www.sintexonline.com](http://www.sintexonline.com)

Email: [sintex\\_support@welspun.com](mailto:sintex_support@welspun.com)

 [sintex\\_bapl\\_limited](https://www.instagram.com/sintex_bapl_limited)  [sintexBAPLLimited](https://www.youtube.com/sintexBAPLLimited)  [Sintex BAPL Limited](https://www.facebook.com/SintexBAPLLimited)

**Next-Gen  
Water  
Management  
Solutions**



## **SAFEGUARDING WATER, PROTECTING FAMILIES**

As the pioneers in water storage solutions, Sintex believes in thinking innovatively and making life simpler for you. Our comprehensive range of products have been designed to do just that, with your needs in mind.

Crafted from 100% virgin and food grade materials, our tanks are built to last and maintain the highest standards of hygiene and technology that keeps India's water **Saaf, Safe and Sahi.**

Know more about our range of water storage solutions.



## POWERED BY THE WELSPUN LEGACY


Welspun has successfully forayed across businesses like home textiles, advanced textiles, flooring solutions, retail, infrastructure, warehousing, line pipes, DI pipes, stainless steel & alloy, pig iron, TMT rebars and more. Keeping customer-centricity at the core, we are present in 50+ countries with a team of 30,000+ committed employees.


Our comprehensive and ever-expanding global presence enables us to leverage our business associations with a marquee of esteemed clients, especially in sectors like retail and Oil & Gas. We are partners by choice in some of the most challenging projects for the largest players globally.

Welspun is now the wind beneath our wings. It is a legacy that combines with our strengths to create an absolute world class organization, delivering a global product. Powered by Welspun, Sintex is today – a pioneer and a torch bearer of health and hygiene. A name that an entire country trusts and looks up to. An icon that through its past commitment and future forward thinking straddles both India's nostalgia and India's rise into a new age.

Here's to delivering innovations that are SAAF, SAFE, SAHI – to India and the world, with SINTEX.



 We have presence in over  
**50 Countries**

 Strong team of  
**30000+ Employees**

 Group revenue  
**US\$ 5 billion**





Water Tanks | Community Panel Tanks | Underground Water Tanks  
Septic Tanks | Sewage Treatment Plants

## THANK YOU INDIA

- Leading Water Tank Brand of India since 50 years.
- 200 litres to 16 Lakh litres of tank capacity for Retail & Commercial usage.
- Category creators & leaders with top class Quality & Innovation.
- Sintex is now a part of Welspun World, a \$5 billion Indian conglomerate.

## 4P PRODUCT RANGE


With unique health advantages.

### PROBLEM

The water stored in ordinary tank does not always remain safe for various household usage because it further develops fungus, algae, bacteria and virus.

### SOLUTION

Sintex Water tanks comes with unique **Active Silver technology** that provides **4P Advantage** – **Protection against Virus, Bacteria, Fungus & Algae**



Sintex Water storage tanks come with “**Active Silver Technology**” that provides unique Anti-microbial layer that protects growth of pathogens under stored water condition.



## SAAF PAANI, SAFE FAMILIES, SAHI HAI SINTEX



- Antibacterial activity and efficacy tested under lab conditions on representative organisms (S. Aureus ATCC 6538) as per JIS Z 2801 standards
- Anti-Virus activity and efficacy tested under lab conditions on representative organisms (Escherichia coli PHAGE MS2 (ATCC-15597-B1)) as per ISO 21702:2019 Standard
- Anti-fungal activity and efficacy tested under lab conditions on representative organisms as per ASTM G21:2015 Standard
- Anti-algae activity and efficacy tested under lab conditions on representative organisms (Chlorella pyrenoidosa and Scenedesmus abundans(t1)) as per ASTM G29 Standard
- \*Certified by independent third party NABL accredited lab. Actual performance may vary due to different environment and usage.
- \*\*For more details, visit: <https://www.sintexonline.com/disclaimer>

### SINTEX PURE THE HEALTHY TANK OF INDIA



### SINTEX PURE+ THE HEALTHY TANK OF INDIA WITH ADVANCED PROTECTION



### SINTEX TATVA THE TANK FOR ALL WEATHER CONDITIONS



### SINTEX TRUPUF THE TANK FOR THE MOST EXTREME WEATHER TEMPRATURES



**SINTEX PURE**

**THE HEALTHY TANK OF INDIA**

Antimicrobial Innovation with Active Silver Technology



- 99% Effective against harmful bacteria, virus, fungus & algae
- ROHS compliant as per European Standard

**RANGE & SPECIFICATIONS**

CAPACITY	DIAMETER		HEIGHT		DIAMETER OF HATCH	
	(L)	(mm)	(In)	(mm)	(In)	(mm)
500	900	35.43	970	38.19	407	16.02
750	1030	40.55	1100	43.31	407	16.02
1000	1105	43.50	1240	48.82	407	16.02
1500	1350	53.15	1295	50.98	410	16.14
2000	1350	53.15	1615	63.58	410	16.14
3000	1500	59.06	2020	79.53	515	20.28
5000	2000	78.74	1910	75.20	520	20.47
10000	2125	83.66	3160	124.41	520	20.47

Note: Dimension tolerance will be ±1.5% below 5000 L and ±3.0% for 5000 L & above, due to process limitation.



AVAILABLE IN COLORS



\*Tested as per ISO 21702, JIS Z 2801, ASTM G 21 & ASTM G 29

**SINTEX PURE+**

**+ THE HEALTHY  
TANK OF INDIA  
WITH ADVANCED  
PROTECTION**

Anti-microbial Innovation  
with Active Silver Technology



- 99% Effective against harmful bacteria, virus, fungus & algae
- ROHS compliant as per European Standard
- Multi-ribbed contemporary design
- Threaded lid

**RANGE & SPECIFICATIONS**

CAPACITY (L)	DIAMETER		HEIGHT		DIAMETER OF HATCH	
	(mm)	(In)	(mm)	(In)	(mm)	(In)
500	900	35.43	1018	40.08	407	16.02
750	1030	40.55	1048	41.26	407	16.02
1000	1105	43.50	1342.5	52.85	407	16.02
1500	1300	51.18	1420	55.91	407	16.02
2000	1350	53.15	1704.5	67.11	407	16.02

Note: Dimension tolerance will be ±1.5%.



**AVAILABLE  
IN COLORS**



\*Tested as per ISO 21702, JIS Z 2801, ASTM G 21 & ASTM G 29

# WATER TANKS FOR EVERY WEATHER CONDITIONS





**SINTEX TATVA**

**THE TANK FOR ALL WEATHER CONDITIONS**

Guards against extreme temperature variations




- Additional Reliable Protective Shield (ARPS) guards against extreme summer temperatures.
- 99% Effective against harmful bacteria, virus, fungus & algae
- Contemporary Design: Ensures long-lasting strength & durability

**RANGE & SPECIFICATIONS**

CAPACITY	DIAMETER		HEIGHT		DIAMETER OF HATCH	
(L)	(mm)	(in)	(mm)	(in)	(mm)	(in)
1000	1105	43.50	1342	52.83	413	16.26
2000	1350	53.15	1705	67.13	413	16.26

Note: Dimension tolerance will be ±1.5%.



AVAILABLE IN COLORS




\*Tested as per ISO 21702, JIS Z 2801, ASTM G 21 & ASTM G 29

**SINTEX TRUPUF**

**THE TANK FOR THE MOST EXTREME WEATHER TEMPERATURES**

Smart choice against steel tanks



- PUF Insulation: High-quality Polyurethane Foam (PUF) Insulation gives protection against temperature variations
- Insulation thickness is 50 mm. Insulation density is 40 kg/m<sup>3</sup> (± 2kgs)
- 99% Effective against harmful bacteria, virus, fungus & algae
- Bolted Lid: Unique Self-locking Lid with Hexa Bolts

**RANGE & SPECIFICATIONS**

CAPACITY	DIAMETER		HEIGHT		DIAMETER OF HATCH	
(L)	(mm)	(In)	(mm)	(In)	(mm)	(In)
1000	1215	47.83	1345	52.95	440	17.32

Note: Dimension tolerance will be ±1.5%. Insulation tolerance will be ±/-15%. Density tolerance will be ±/-5%.



Even in continuous 50°C for 6 hours outside, the water temperature inside the tank doesn't rise above 0.5°C

Even in continuous -20°C for 6 hours outside, the water temperature inside the tank doesn't drop below 0.5°C

\*Certified by approved government accredited laboratory.

AVAILABLE IN COLORS

\*Tested as per ISO 21702, JIS Z 2801, ASTM G 21 & ASTM G 29

# POPULAR PRODUCT RANGE

Reliable & Dependable

**SINTEX NEO**  
 THE SMART CHOICE

**3**  
 ★ YEARS ★  
 WARRANTY



**SINTEX ACE**  
 THE 1ST SIDE HATCH TANK OF INDIA

**10**  
 ★ YEARS ★  
 WARRANTY



**SINTEX RENO**  
 THE TANK BUILT TO LAST

**5**  
 ★ YEARS ★  
 WARRANTY



**SINTEX CLASSIC**  
 THE ICONIC TANK OF INDIA

**10**  
 ★ YEARS ★  
 WARRANTY



**SINTEX TITUS**  
 THE TANK THAT STANDS STRONG

**10**  
 ★ YEARS ★  
 WARRANTY



**SINTEX ISI**  
 THE TRUSTED CHOICE OF INDIA

**5**  
 ★ YEARS ★  
 WARRANTY



**SINTEX HERO**  
 THE HERO FOR EVERY HOME

**10**  
 ★ YEARS ★  
 WARRANTY



**SINTEX LOFT**  
 THE GREAT SPACE SAVER

**5**  
 ★ YEARS ★  
 WARRANTY



**SINTEX NEO**

**THE SMART CHOICE**

Our most economical tank with same excellent hygiene features



- Multi-ribbed design: ensures long-lasting strength & durability
- ROHS compliant as per European Standard

**RANGE & SPECIFICATIONS**

CAPACITY	DIAMETER		HEIGHT		DIAMETER OF HATCH	
(L)	(mm)	(In)	(mm)	(In)	(mm)	(In)
200	700	27.56	600	23.62	275	10.83
300	700	27.56	870	34.25	275	10.83
500	920	36.22	845	33.27	417	16.42
750	920	36.22	1245	49.02	417	16.42
1000	1100	43.31	1172	46.14	417	16.42

Note: Dimension tolerance will be ±1.5%, due to process limitation.  
\*Available from selected factories.



**ANTI ALGAE**



**EXTRA THICK & FLEXIBLE MATERIAL FOR A LONG LIFE**



**100% FOOD GRADE PLASTIC**



**VIRGIN PLASTIC**



**STRONG & UNBREAKABLE**



**THREADED LID WITH UV PROTECTION**

**AVAILABLE IN COLORS**



**SINTEX RENO**

**THE TANK  
 BUILT TO LAST**

Assured performance with  
 great value



- Multi-ribbed Design: Ensures long-lasting strength & durability
- ROHS compliant as per European Standard

**RANGE & SPECIFICATIONS**

CAPACITY	DIAMETER		HEIGHT		DIAMETER OF HATCH	
	(L)	(mm)	(In)	(mm)	(In)	(mm)
500	900	35.43	885	34.84	400	15.75
700	900	35.43	1195	47.05	400	15.75
1000	1110	43.70	1170	46.06	406	15.75
1500	1365	53.74	1155	45.17	400	15.98
2000	1365	53.74	1515	59.65	407	15.75
2500	1365	53.74	1875	73.82	400	16.02
3000	1500	59.06	1830	72.05	400	15.75
5000	1800	70.87	2175	85.63	520	20.47
10000	2130	83.86	3155	124.21	510	20.08

Note: Dimension tolerance will be ±1.5% below 5000 L and ±3.0% for 5000 L & above due to process limitation.



**ANTI ALGAE**



**100% UV STABILITY**



**ULTRA DURABLE**



**100% FOOD GRADE PLASTIC**



**VIRGIN PLASTIC**

**AVAILABLE  
 IN COLORS**



## SINTEX TITUS

# THE TANK THAT STANDS STRONG

Threaded Lid for safety,  
an additional Black Lid for  
UV Protection




- >99% Effective against harmful bacteria
- Stylish Looks with Multi-ribbed Design: Ensures strength & durability
- ROHS compliant as per European Standard

## RANGE & SPECIFICATIONS

CAPACITY	DIAMETER		HEIGHT		DIAMETER OF HATCH		
	(l)	(mm)	(in)	(mm)	(in)	(mm)	(in)
500		920	36.22	918	36.14	430	16.93
750		1030	40.55	1105	43.50	430	16.93
1000		1100	43.31	1260	49.61	430	16.93
1500		1350	53.15	1265	49.80	430	16.93
2000		1350	53.15	1640	64.57	430	16.93

Note: Dimension tolerance will be ±1.5%, due to process limitation.\*Available from selected factories.



AVAILABLE  
IN COLORS



Tested as per JIS Z 2801 & ASTM G29

**SINTEX HERO**

**THE HERO FOR EVERY HOME**

True value for your investment



- Stylish Looks with Multi-ribbed Design: Ensures strength & durability
- ROHS compliant as per European Standard

**RANGE & SPECIFICATIONS**

CAPACITY	DIAMETER		HEIGHT		DIAMETER OF HATCH	
	(L)	(mm)	(In)	(mm)	(In)	(mm)
500	900	35.43	1005	39.57	395	15.55
750	1030	40.55	1100	43.31	395	15.55
1000	1105	43.50	1283	50.51	395	15.55
1500	1350	53.15	1295	50.98	395	15.55
2000	1350	53.15	1650	64.96	395	15.55
5000	2000	78.74	1900	74.80	395	15.55

Note: Dimension tolerance will be ±1.5%.



**ANTI ALGAE**



**100% UV STABILITY**



**ULTRA DURABLE**



**100% FOOD GRADE PLASTIC**



**VIRGIN PLASTIC**



**THREADED LID WITH UV PROTECTION**

**AVAILABLE IN COLORS**



**SINTEX ACE**

**THE 1<sup>ST</sup> SIDE HATCH TANK OF INDIA**

Easy to clean and check the water level without climbing the tank



- >99% Effective in protecting from harmful bacteria
- Multi-ribbed Design: Ensures strength & durability
- Side-hatch, helps in ease of cleaning

**RANGE & SPECIFICATIONS**

CAPACITY	DIAMETER		HEIGHT		DIAMETER OF HATCH		
	(l)	(mm)	(in)	(mm)	(in)	(mm)	(in)
500		920	36.22	1012	39.84	405	15.94
750		1030	40.55	1145	45.08	405	15.94
1000		1100	43.31	1328	52.28	405	15.94
2000		1350	53.15	1694	66.69	405	15.94
5000		2000	78.74	1980	77.95	405	15.94

Note: Dimension tolerance will be ±1.5% below 5000 L and ±3.0% for 5000 L, due to process limitation.

**ANTI-BACTERIAL**

**ANTI-ALGAE**

**EASY TO CLEAN**

**100% FOOD GRADE PLASTIC**

**VIRGIN PLASTIC**

**ULTRA DURABLE**

**UV PROTECTION**  
**THREADED LID WITH UV PROTECTION**

**100% UV STABILITY**

**AVAILABLE IN COLORS**



Tested as per JIS Z 2801 & ASTM G29



**SINTEX CLASSIC**

**THE ICONIC  
TANK OF INDIA**

Classic Heritage product  
now available in White also



- Made with 100% Food Grade Plastic
- Multi-ribbed Design: Ensures long-lasting strength & durability

**RANGE & SPECIFICATIONS**

CAPACITY	DIAMETER		HEIGHT		DIAMETER OF HATCH		
	(l)	(mm)	(In)	(mm)	(In)	(mm)	(In)
500	500	1030	40.55	755	29.72	400	15.75
500	500	900	35.43	970	38.19	407	16.02
700	700	1030	40.55	1080	42.52	407	16.02
750	750	1030	40.55	1100	43.31	407	16.02
1000	1000	1105	43.50	1240	48.82	407	16.02
1500	1500	1350	53.15	1295	50.98	410	16.14
2000	2000	1350	53.15	1615	63.58	410	16.14
2000	2000	1400	55.12	1580	62.20	520	20.47
2500	2500	1500	59.06	1720	67.72	515	20.28
3000	3000	1500	59.06	2020	79.53	515	20.28
5000	5000	2000	78.74	1910	75.20	520	20.47
5000*	5000*	2000	78.74	2000	78.74	940	37.01
7500	7500	2000	78.74	2890	113.78	520	20.47
10000	10000	2550	100.39	2530	99.61	520	20.47
10000*	10000*	2125	83.66	3160	124.41	520	20.47
15000*	15000*	2550	100.39	3580	140.94	520	20.47
15000*	15000*	3000	118.11	2830	111.42	510	20.08
20000*	20000*	2580	101.57	4620	181.89	520	20.47
20000*	20000*	3000	118.11	3390	133.46	521	20.51
25000*	25000*	3050	120.08	4070	160.24	520	20.47

Note: Dimension tolerance will be ±1.5% below 5000 L and ±3.0% for 5000 L & above, due to process limitation. \*Available from selected factories.



**ANTI-ALGAE  
FORMATION**



**100%  
FOOD GRADE  
PLASTIC**



**WIDE RANGE  
500 L TO 25,000 L**



**ULTRA  
DURABLE**



**VIRGIN  
PLASTIC**


**AVAILABLE  
IN COLORS**



**SINTEX ISI**

**THE TRUSTED  
 CHOICE OF INDIA**

Widely preferred ISI tank



- 100% Food grade plastic
- Conforms to standards specified in 12701-1996 (Reaffirmed 2006)

**RANGE & SPECIFICATIONS**

CAPACITY	DIAMETER		HEIGHT		DIAMETER OF HATCH	
	(L)	(mm)	(In)	(mm)	(In)	(mm)
300	750	29.53	875	34.45	280	11.02
500	1030	40.55	755	29.72	400	15.75
500	900	35.43	970	38.19	407	16.02
700	1030	40.55	1080	42.52	407	16.02
1000	1105	43.50	1240	48.82	407	16.02
1500	1350	53.15	1295	50.98	410	16.14
2000	1400	55.12	1580	62.20	520	20.47
2500	1500	59.06	1720	67.72	515	20.28
3000	1500	59.06	2020	79.53	515	20.28
5000	2000	78.74	1910	75.20	520	20.47
7500	2000	78.74	2890	113.78	520	20.47
10000	2550	100.39	2530	99.61	520	20.47
10000	2125	83.66	3160	124.41	520	20.47
15000	2550	100.39	3580	140.94	520	20.47
20000	2580	101.57	4620	181.89	520	20.47

Note: Dimension tolerance will be ±1.5% below 5000 L and ±3.0% for 5000 L & above, due to process limitation.  
 \*Available from selected factories.



ANTI-ALGAE



ULTRA DURABLE



VIRGIN PLASTIC



100% FOOD GRADE PLASTIC



ISI STANDARD

**SINTEX LOFT**

**THE GREAT  
 SPACE SAVER**

Compact design to fit  
 available space



- Multi-purpose usage: bathroom, kitchen, etc
- ROHS compliant as per European standard

**RANGE & SPECIFICATIONS**

CAPACITY	LENGTH		WIDTH		HEIGHT UPTO TOP RIM		DIAMETER OF MANHOLE		
	(l)	(mm)	(In)	(mm)	(In)	(mm)	(In)		
100		590	23.23	590	23.23	385	15.16	305	12.01
150		720	28.35	720	28.35	385	15.16	305	12.01
200		960	37.80	720	28.35	360	14.17	305	12.01
220		1030	40.55	720	28.35	385	15.16	305	12.01
270		1090	42.91	720	28.35	430	16.93	305	12.01
275		1250	49.21	890	35.04	325	12.80	305	12.01
300		1220	48.03	830	32.68	350	13.78	305	12.01
375		1255	49.41	955	37.60	385	15.16	305	12.01
400		1550	61.02	1000	39.37	325	12.80	305	12.01
425*		1255	49.41	955	37.60	407	17.13	305	12.01
460* **		1524	60.00	927	36.50	325	16.02	305	12.01
475*		1585	52.40	1155	45.47	435	12.80	305	12.01
500		1400	55.12	1000	39.37	510	17.13	305	12.01
500* **		1525	60.04	800	31.50	510	20.08	305	12.01
625*		1440	56.69	970	38.19	535	21.06	305	12.01
825*		1960	77.17	990	38.98	545	21.46	305	12.01
1000*		1990	78.35	990	38.98	635	25.00	305	12.01



**ULTRA DURABLE**



**COMPACT LOOK**



**VIRGIN PLASTIC**














**100% FOOD GRADE PLASTIC**

Note: Dimension tolerance will be ±1.5%, due to process limitation.  
 \*Double-lid. \*\*Available from selected factories.

**AVAILABLE  
 IN COLORS**



# RANGE OF SINTEX OVERHEAD WATER STORAGE TANKS

PRODUCTS											
	SINTEX TRUPUF	SINTEX TATVA	SINTEX PURE+	SINTEX PURE	SINTEX ACE	SINTEX CLASSIC	SINTEX HERO	SINTEX TITUS	SINTEX RENO	SINTEX NEO	SINTEX LOFT
ANTI-VIRAL	✓	✓	✓	✓	✗	✗	✗	✗	✗	✗	✗
ANTI-BACTERIAL	✓	✓	✓	✓	✓	✗	✗	✓	✗	✗	✗
ANTI-ALGAE	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗
ANTI-FUNGAL	✓	✓	✓	✓	✗	✗	✗	✗	✗	✗	✗
UV PROTECTION	BOTH TANK AND LID ARE UV STABILIZED	BOTH TANK AND LID ARE UV STABILIZED	BOTH TANK AND LID ARE UV STABILIZED	BOTH TANK AND LID ARE UV STABILIZED	BOTH TANK AND LID ARE UV STABILIZED	BOTH TANK AND LID ARE UV STABILIZED	BOTH TANK AND LID ARE UV STABILIZED	BOTH TANK AND LID ARE UV STABILIZED	BOTH TANK AND LID ARE UV STABILIZED	BOTH TANK AND LID ARE UV STABILIZED	✗
THREADED LID	✓	✓	✓	✗	✓	✗	✓	✓	✗	✓	✗
AVAILABLE COLOURS	WHITE	WHITE, BLUE YELLOW, GREEN	WHITE, BLUE YELLOW, GREEN	WHITE, BLUE YELLOW, GREEN	WHITE, BLUE YELLOW, GREEN	BLACK, WHITE	WHITE, BLUE YELLOW, GREEN	WHITE, BLUE YELLOW, GREEN	BLACK, WHITE,	WHITE, BLUE YELLOW, GREEN	WHITE, BLACK
CAPACITIES OF TANKS AVAILABLE (LITRES)	1000	1000, 2000	500, 750, 1000, 1500, 2000	500, 750, 1000, 1500, 2000, 3000, 5000, 10000	500, 750, 1000, 2000, 5000	500, 750, 1000, 1500, 2000, 2500, 3000, 5000, 7500, 10000, 15000, 20000, 25000	500, 1000, 2000, 5000,	500, 750, 1000, 1500, 2000	500, 1000, 1500, 2000, 2500, 3000, 5000, 10000	200, 300, 500, 750, 1000	100, 150, 200, 225, 270, 300, 375, 400, 425, 460, 475, 500, 625, 825, 1000
WARRANTY	15 YEAR	15 YEAR	15 YEAR	15 YEAR	10 YEAR	10 YEAR	10 YEAR	10 YEAR	5 YEAR	3 YEAR	5 YEAR
MANUFACTURING PROCESS	ROTO MOULDING	ROTO MOULDING	ROTO MOULDING	ROTO MOULDING	ROTO MOULDING	ROTO MOULDING	ROTO MOULDING	BLOW MOULDING	ROTO MOULDING	BLOW MOULDING	ROTO MOULDING

Also available: India's trusted ISI Tank which conforms to Standards Specified in 12701-1996 (Reaffirmed 2006)

**SINTEX KLEANKIT**

**SAFEGUARDING  
 YOUR FAMILY'S  
 HEALTH**

Cleaning kit for all types of tanks



- A comprehensive cleaning solution designed specifically for water storage tanks
- It includes descaling, neutralizing, and disinfecting solutions, ensuring a thorough clean
- Removes hard and sticky dust or scaling layers
- Versatile solution that can be used for both internal and external tank cleaning
- Maintains pH and lead levels, ensuring no adverse effects on water quality

**CLEAN AND SAFE TANK IN 3 SIMPLE STEPS:**



**REMOVE**



**RINSE**



**CLEANSE**



**Scan QR code to  
 Watch Now**

**SINTEX PURE  
 COMMUNITY PANEL TANK**

**SMART SOLUTIONS  
 LARGE STORAGES**

It is SAFER, SMARTER & SUSTAINABLE as compared to RCC Tanks. Easier to install, easier to maintain, easier to move

Reclaim your terrace space with Sintex Pure Community Tank.

**SIMPLIFY WITH SINTEX**

Replace multiple individual water tanks with one 25,000L+ Sintex Pure Community Panel Tank and save precious space.




The Conventional Way



**Sintex** Way



Scan to play the video of community tanks



Re-imagining community water storage solutions. A fantastic solution for community water storage needs.



**Lightweight**



**Rust-free**



**Customisable**



**Virgin Plastic**



**100% Food Grade Plastic**



**No Algae Formation**



**FDA Approved**



**Rapid Installation**



## CUSTOMIZED LARGE WATER STORAGE SOLUTIONS FOR VARIOUS INSTITUTIONS

Railway Stations | Hospitals | Hotels | Educational Institutions | Commercial Complexes  
 Defence Areas | Malls | PWD | CPWD | Data Centres | IT Parks | Other Public Utilities

Preferred installation under various Jal Jeevan Mission

### Why Sintex Pure Community Panel Tanks are superior to RCC Tanks?

- Easy to install, move, and clean
- Hygienic Water Storage: Offers safer, cleaner water compared to concrete tanks, with protection from algae growth and leaching
- Designed to last up to 50 years with leak proof operations
- Comprehensive Solution by Sintex:
  - Rooftop inspection to assess site details
  - Customized design based on capacity, space, and cost requirements
  - Professional installation as per the tailored design

### Easy steps to get Community Panel Tank for your premises

- Express interest about Community Panel Tank with your nearest retailer or reach out to us using the QR code
- Provide your storage tank requirements
- Fix site inspection with Sintex team by paying a token advance payment to Sintex BAPL
- Post site inspection, get a detailed storage tank recommendation customised for your premises.
- Final payment & tank installation



## Prestigious Installations



Udyog Bhawan



Rashtrapati Bhawan

## 84,000 litres of tank installed in Leela Business Park, Mumbai



**SINTEX UNDERGROUND  
 WATER TANKS – SUMPS**

**STURDY DESIGN,  
 EASY INSTALLATION,  
 ENDURING  
 PERFORMANCE**

Specially designed for  
 underground applications



- One-piece moulded design: No joints, seams or welds
- Impermeable to roots of trees
- Can be installed without an additional retaining wall Strong
- SMC lid

**RANGE & SPECIFICATIONS**

CAPACITY		DIAMETER		HEIGHT	
(L)	(mm)	(In)	(mm)	(In)	
1000	1200	47.24	1385	54.53	
2000	1400	55.12	1850	72.83	
3000	1650	64.96	1950	76.77	
4000	1800	70.87	2150	84.65	
5000	2000	78.74	2250	88.58	
6000	2150	84.65	2300	90.55	

NO. OF MANHOLE	MANHOLE EXTENSION		MANHOLE DIAMETER	
(L)	(mm)	(In)	(mm)	(In)
1	200	7.87	400	15.75
1	200	7.87	400	15.75
1	200	7.87	400	15.75
1	200	7.87	400	15.75
1	200	7.87	400	15.75
1	200	7.87	400	15.75

-  **100% FOOD GRADE PLASTIC**
-  **VIRGIN PLASTIC**
-  **ULTRA DURABLE**
-  **STRONG LID**

Note: Dimension tolerance will be ±1.5% below 5000 L and ±3.0% for 5000 L, due to process limitation. \*Available from selected factories.



## SINTEX UNDERGROUND WATER TANKS (FRP)

### DURABLE, HYGIENIC AND SPACE SAVING IN ONE TANK

Underground tanks made from Fiber Reinforced Plastic (FRP) that can endure earth's pressure and make the tanks strong and more durable



- Virgin Plastic: For better strength, durability & flexibility
- Food Grade Plastic with FDA Approval: Ensures safety & hygiene of stored water
- Non-porous and does not allow water to get contaminated
- Impermeable to roots of trees
- Available for 10,000 to 50,000 litres storage capacity



**UNDERGROUND  
 ONGROUND  
 INSTALLATION**



**FULLY  
 AUTOMATED**



**LEAK PROOF,  
 RUST FREE &  
 NON CORROSION**



**LIGHTWEIGHT**



**EASY  
 INSTALLATION**



**50 YEARS+  
 LIFESPAN**

**SINTEX ADVANCED SEPTIC TANKS**

**WASTE MANAGEMENT, MADE EASY & EFFICIENT**

Manufactured with advanced technology fo effective domestic wastewater treatment system



**ALSO AVAILABLE IN PWTS & AST SERIES**

**WHAT'S ADVANCED ABOUT SINTEX ADVANCED SEPTIC TANKS?**

- Normal Septic Tanks reduce BOD by only 40%
- Sintex's cutting-edge technology reduces BOD by 70%
- Ranges from 800 Litre - 6000 Litre capacity





**RUST/CORROSION PROOF & LEAK PROOF**



**NO ELECTRICITY USED**



**EASY TRANSPORTATION & INSTALLATION**



**FLEXIBLE-IN & OUTLET**



**PALL RING MEDIA**

**Easy steps to get Septic Tanks for your premises**

- Express interest about Septic Tank with your nearest retailer or reach out to us using the QR code
- Provide your storage tank requirements
- Fix site inspection with Sintex team by paying a token advance payment to Sintex BAPL
- Post site inspection, get a detailed storage tank recommendation customised for your premises.
- Final payment & tank installation



Site visit payment is collected in advance, billed separately by the Service team, and accepted via bank transfer to Sintex BAPL. This amount will be adjusted against the final payment.

## SINTEX PACKAGED SEWAGE TREATMENT PLANTS

### RECLAIM WATER, RETHINK WATER MANAGEMENT

Built with durable FRP materials, our sewage treatment plants convert grey water into safe, reusable water for irrigation and cleaning, promoting efficient waste management



### WHAT'S ADVANCED ABOUT SINTEX ADVANCED SEPTIC TANKS?

- Virgin Plastic: For better strength, durability & flexibility
- Treats wastewater close to the source
- Recycle between 10 to 650 KLD
- Negligible maintenance cost
- Saves power



**UNDERGROUND  
ONGROUND  
INSTALLATION**



**REDUCES BOD  
BY 90-95%**



**FULLY  
AUTOMATED**



**LEAK PROOF,  
RUST FREE &  
NON CORROSION**




**LIGHTWEIGHT**



**EASY  
INSTALLATION**



**50 YEARS+  
LIFESPAN**




#### Easy steps to get Sewage Treatment for your premises

- Express interest about Sewage treatment plant with your nearest retailer or reach out to us using the QR code
- Provide your storage tank requirements
- Fix site inspection with Sintex team by paying a token advance payment to Sintex BAPL
- Post site inspection, get a detailed storage tank recommendation customised for your premises.
- Final payment & tank installation



# WATER TANKS MYTHS & FACTS



## MYTH

Local tanks offer exact water storage capacity as promised.

## FACT

Local competitors' tanks provide 10% to 15% less water storage than what they claim. Whereas, Sintex tanks offer exact water storage capacity as promised.



## MYTH

Only virgin (non-recycled) plastic is used in making all water tanks.

## FACT

Competitors' tanks often use recycled plastic, which may contain harmful chemicals like lead and phthalates. Sintex tanks are made from 100% virgin plastic, ensuring total safety.



## MYTH

Competitors' tanks are heavier, so that means they are sturdier too.

## FACT

Local brands add calcium carbonate and fillers to their tanks, making the water hazardous. In contrast, Sintex tanks are designed to be lighter, stronger, and safer.



## MYTH

The harder the tank, the more durable it is.

## FACT

Overhead tanks must expand and contract with water levels and temperature changes. Rigid tanks can crack easily, but Sintex uses LLDPE, making them more flexible and durable.



## MYTH

Detergent is good enough to clean the water tank.

## FACT

Using detergents for cleaning water tanks can be hazardous due to the chemical residues they leave behind. Switching to Sintex KleanKit can help ensure your water storage tanks are clean and safe for use.



## MYTH

Our competitors make tanks using only food grade plastic.

## FACT

Many competitors use recycled plastic, which may contain fillers, toxins, and carcinogens like phthalates. Sintex tanks, made from food-grade plastic, ensure safe and hygienic water storage.



## MYTH

Our competitors sell tanks that have 4, 5, 6 or even 7 layers. This means they are much stronger.

## FACT

More layers in a tank don't equate to increased strength. Additional layers provide no real benefits and can make the tank unnecessarily rigid and heavy.



## MYTH

All non-black tanks of the competitors are UV stabilized like Sintex tanks.

## FACT

Most competitors' non-black tanks lack complete UV protection, leading to algae growth and unhealthy water. In contrast, all Sintex tanks, whether black or non-black, are UV protected.




## MYTH

The lid of a tank does not need UV protection.

## FACT

As the topmost part of a tank, the lid requires UV protection more than any other surface. Competitors' non-black tanks lack UV protection on their lids, while Sintex is the trusted brand in the country to offer complete UV protection for non-black tank lids.



## MYTH

Every black tank is a Sintex tank.

## FACT

Remember the saying, "All that glitters is not gold"? This applies to Sintex as well. Customers may go to buy a Sintex tank but end up with a competitor's product. All Sintex tanks feature our logo, so customers should ensure they look for it.